

Becky Sharp's Quilting.

<http://www.becky-sharps-quilting.com>

Nappy Holder.

A bag to stack nappies in to keep them in easy reach when you need them.

Fabric Requirements.

This pattern uses two colour fabric's .

Fabric 1 - 1 metre.

Fabric 2 - 1 metre.

Copyright notice.

This pattern is for personal use.

No part of this pattern can be copied electronically or by any other method.

Please ask people to download their own copy of this pattern.

The patterns cannot be used for teaching a workshop without permission, please contact me for details of rates for teachers who want to use a pattern for a workshop.

If you wish to enter a quilt show with a quilt / wall hanging from any of my patterns you must credit me with the design.

You may make a quilt / wall hanging from this pattern for your own personal use or as a gift for someone else there is no limit for how many you make in this category.

You may not use my patterns to make items to sell.

Cut.

Two pieces 7.5" x 22.5" from fabric 1 - piece 1.

One piece 14.5" x 22.5" from fabric 2 - piece 2.

Two pieces 22.5" x 9.5" from fabric 2 - piece 3.

One piece 14.5" x 7.5" from fabric 2 - piece 4.

One piece 14.5" x 9.5" from fabric 2 - piece 5.

Two pieces 22.5" x 2" from fabric 2 - piece 6.

Two pieces 2" x 12" from fabric 2 - piece 7.

Cut two pieces of velcro an inch long.



Figure 1.

To Make.

1.To make a front panel. Fold a piece 6 in half and finger press, unfold the fabric .

Fold one of the edges to the centre line and finger press.

Do the same with the other edge.

Place the piece 6 on the wrong side of a piece1. Figure 1.

Using the folds as a guide sew the two pieces together. Press the seam, Figure 2.


Then over lock the edge of the seam this will help keep the inside of the bag tidy and stop the seams fraying. Figure 3.



Figure 2.



Figure 3.



Becky Sharp's Quilting.

<http://www.becky-sharps-quilting.com>



Figure 4.

2. Fold the piece six in half over the front of the piece 1, figure 4.

Turn the edge of piece 6 under to bind the edge pin in place, figure 5.

Place the needle on the edge of the fold and carefully sew down the length of the fabric, figure 6.



Figure 5.



Figure 6.

3. Make another of the front panels, figure 7.




Figure 7.



Figure 8.

4. Sew the velcro on each of the front panels binding to hold the front closed, place the velcro a couple of inches above and below the middle of the panels, figure 8.



Becky Sharp's Quilting.

<http://www.becky-sharps-quilting.com>

5. To make the sides. Place a piece 3 one the front of one of the front panels the side that has not got the binding on. Figure 9. Sew the pieces together, over lock the seam. Do the same with the other piece 3.



Figure 9.

6. To add the back. Take the piece 4 place it over one of the two sides and sew the pieces together. Figure 10.

Add the other side to the back.



Figure 10.

7. To make the bottom. Place the binding on the front over each other make sure the velcro meet before sewing from the bottom about six inches up the front. Figure 11.



Figure 11.

8. Take piece 5 and pin it to the bottom of the body of the bag. Figure 12.

Place the fabric under the foot of the machine make sure the body of the bag is out of the way. Figure 13.

When you get to the corner leave the needle down but lift the foot swivel the fabric round, make sure the excess is out of the way bring the foot back down and carry on sewing. Figure 14. Do this for each corner.

Figure 15 shows the finished bottom before being inside out.



Figure 12.




Figure 13.



Figure 14.



Figure 15.



Becky Sharp's Quilting.
<http://www.becky-sharps-quilting.com>

9. Figure 16 shows the bottom when it has been turn inside out.



Figure 16.

10. To make the top. Place the body of the bag on a flat surface, figure 17 , fold the sides in half, figure 18.



Figure 17.



Figure 18.

11. At the top of the bag fold the corners to make a triangle at the top, figure 19.
Fold the sides in half and pin in place, Figure 20.
Do the same on the other corner. Figure 21.



Figure 19.



Figure 20.




Figure 21.

12. Place piece 5 over the front of the bag and sew in place, figure 22.



Figure 22.



Becky Sharp's Quilting.

<http://www.becky-sharps-quilting.com>

13. Fold a piece 7 in half and finger press, unfold the fabric .

Fold one of the edges to the centre line and finger press.

Do the same with the other edge. Pin in place, then sew down the edge. Do the same with the other piece 7. Figure 23.



Figure 23.

14. Fold the piece 5 over to the back of the bag.

Fold the piece 7's in half and pin to the back of the bag so the ends go under the piece 5. Figure 24.

Turn the edge of piece 5 under making sure the ends of piece 7's are under where the sewing line will go, pin in place.

Fold the side edges of piece 5, pin in place. Figure 25.

Sew in place begin at a top corner near the edge and carefully sew round the edge.



Figure 24.



Figure 25.

15. Figure 26 shows the finished back.

Figure 27 shows the finished front.

Figure 28 shows the finished bag.



Figure 26.



Figure 27.



Figure 28.